tf.compat.v1.sparse_split Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/sparse_split

> *Split a SparseTensor into num_split tensors along axis. (deprecated arguments)*

Function Signatures

```
tf.compat.v1.sparse_split(
keyword_required=KeywordRequired(), sp_input=None,
num_split=None, axis=None, name=None, split_dim=None )
```

Code Examples

```
tf.compat.v1.sparse_split(
keyword_required=KeywordRequired(),
sp_input=None,
num_split=None,
axis=None,
name=None,
split_dim=None
)
```

```
tf.compat.v1.sparse_split(
keyword_required=KeywordRequired(),
sp_input=None,
num_split=None,
axis=None,
name=None,
split_dim=None
)
```

```
input_tensor = shape = [2, 7]
[    a   d e  ]
[b c          ]
```


```
input_tensor = shape = [2, 7]
[    a   d e  ]
[b c          ]
```


```
output_tensor[0] =
[    a   ]
[b c     ]
output_tensor[1] =
[ d e  ]
[      ]
```


```
output_tensor[0] =
[    a   ]
[b c     ]
output_tensor[1] =
[ d e  ]
[      ]
```

Documentation

Split a SparseTensor into num_split tensors along axis. (deprecated arguments)

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.sparse.split

If the sp_input.dense_shape[axis] is not an integer multiple of num_split
each slice starting from 0:shape[axis] % num_split gets extra one
dimension. For example, if axis = 1 and num_split = 2 and the
input is:

Graphically the output tensors are:

Returns

Raises