AdaptiveMaxPool1d#

https://pytorch.org/docs/stable/generated/torch.nn.AdaptiveMaxPool1d.html#to

Description:

Applies a 1D adaptive max pooling over an input signal composed of several input planes. The output size is LoutL_{out}Lout, for any input size. The number of output features is equal to the number of input planes. output_size (Union[int, tuple[int]]) – the target output size LoutL_{out}Lout. return_indices (bool) – if True, will return the indices along with the outputs. Useful to pass to nn.MaxUnpool1d. Default: False Input: (N,C,Lin)(N, C, L_{in})(N,C,Lin) or (C,Lin)(C, L_{in})(C,Lin).

Function Signature

```
class torch.nn.AdaptiveMaxPool1d(output_size,
return_indices=False)[source]#

Parameters

Shape:

forward(input)[source]#
```

Code Examples

```
>>> # target output size of 5
>>> m = nn.AdaptiveMaxPool1d(5)
>>> input = torch.randn(1, 64, 8)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies a 1D adaptive max pooling over an input signal composed of several input planes.

The output size is LoutL_{out}Lout, for any input size. The number of output features is equal to the number of input planes.

output_size (Union[int, tuple[int]]) – the target output size LoutL_{out}Lout.

return_indices (bool) – if True, will return the indices along with the outputs. Useful to pass to nn.MaxUnpool1d. Default: False

Input: (N,C,Lin)(N, C, L_{in})(N,C,Lin) or (C,Lin)(C, L_{in})(C,Lin).

Output: (N,C,Lout)(N, C, L_{out})(N,C,Lout) or (C,Lout)(C, L_{out})(C,Lout), where Lout=output_sizeL_{out}=\text{output_size}Lout=output_size.

Runs the forward pass.