tf.device Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/device

> *Specifies the device for ops created/executed in this context.*

Function Signatures

```
tf.device( device_name ) -> ContextManager[None]
with tf.device('/job:foo'): # ops created here have devices
with /job:foo with tf.device('/job:bar/task:0/device:gpu:2'):
# ops created here have the fully specified device above with
tf.device('/device:gpu:1'): # ops created here have the
device '/job:foo/device:gpu:1'
```

Code Examples

```
tf.device(
device_name
) -> ContextManager[None]
```


```
tf.device(
device_name
) -> ContextManager[None]
```


```
with tf.device('/job:foo'):
# ops created here have devices with /job:foo
with tf.device('/job:bar/task:0/device:gpu:2'):
# ops created here have the fully specified device above
with tf.device('/device:gpu:1'):
# ops created here have the device '/job:foo/device:gpu:1'
```


```
with tf.device('/job:foo'):
# ops created here have devices with /job:foo
with tf.device('/job:bar/task:0/device:gpu:2'):
# ops created here have the fully specified device above
with tf.device('/device:gpu:1'):
# ops created here have the device '/job:foo/device:gpu:1'
```

Documentation

Specifies the device for ops created/executed in this context.

Used in the notebooks

• NumPy API on TensorFlow

- Use a GPU
- Introduction to Variables
- Random number generation
- Use TPUs
- Customization basics: tensors and operations
- Solve GLUE tasks using BERT on TPU

This function specifies the device to be used for ops created/executed in a particular context. Nested contexts will inherit and also create/execute their ops on the specified device. If a specific device is not required, consider not using this function so that a device can be automatically assigned. In general the use of this function is optional. device_name can be fully specified, as in "/job:worker/task:1/device:cpu:0", or partially specified, containing only a subset of the "/"-separated fields. Any fields which are specified will override device annotations from outer scopes.

For example:

Returns

Raises