torch.argmin#

https://pytorch.org/docs/stable/generated/torch.argmin.html

Description:

Returns the indices of the minimum value(s) of the flattened tensor or along a dimension This is the second value returned by torch.min(). See its documentation for the exact semantics of this method. If there are multiple minimal values then the indices of the first minimal value are returned. input (Tensor) – the input tensor.

Function Signature

```
torch.argmin(input, dim=None, keepdim=False) → LongTensor#
Parameters
```

Code Examples

```
>>> a = torch.randn(4, 4)
>>> a
tensor([[ 0.1139,  0.2254, -0.1381,  0.3687],
        [ 1.0100, -1.1975, -0.0102, -0.4732],
        [-0.9240,  0.1207, -0.7506, -1.0213],
        [ 1.7809, -1.2960,  0.9384,  0.1438]])
>>> torch.argmin(a)
tensor(13)
>>> torch.argmin(a, dim=1)
tensor([ 2,  1,  3,  1])
>>> torch.argmin(a, dim=1, keepdim=True)
tensor([[2],
        [1],
        [3],
        [1]])
```

Notes & Warnings

NOTE

Note If there are multiple minimal values then the indices of the first minimal value are returned.

Detailed Documentation

Documentation

Returns the indices of the minimum value(s) of the flattened tensor or along a dimension

This is the second value returned by torch.min(). See its documentation for the exact semantics of this method.

If there are multiple minimal values then the indices of the first minimal value are returned.

input (Tensor) – the input tensor.

dim – the dimension to reduce.

Returns the indices of the minimum value(s) of the flattened tensor or along a dimension

This is the second value returned by torch.min(). See its documentation for the exact semantics of this method.

If there are multiple minimal values then the indices of the first minimal value are returned.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

dim – the dimension to reduce.

dim – the dimension to reduce.