torch.sgn#

https://pytorch.org/docs/stable/generated/torch.sgn.html#torch.sgn

Description:

This function is an extension of torch.sign() to complex tensors. It computes a new tensor whose elements have the same angles as the corresponding elements of input and absolute values (i.e. magnitudes) of one for complex tensors and is equivalent to torch.sign() for non-complex tensors. input (Tensor) – the input tensor. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.sgn(input, *, out=None) → Tensor#

Parameters

Keyword Arguments
```

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> t = torch.tensor([3+4j, 7-24j, 0, 1+2j])
>>> t.sgn()
tensor([0.6000+0.8000j, 0.2800-0.9600j, 0.0000+0.0000j,
0.4472+0.8944j])
```

Detailed Documentation

Documentation

This function is an extension of torch.sign() to complex tensors. It computes a new tensor whose elements have the same angles as the corresponding elements of input and absolute values (i.e. magnitudes) of one for complex tensors and is equivalent to torch.sign() for non-complex tensors.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

This function is an extension of torch.sign() to complex tensors. It computes a new tensor whose elements have the same angles as the corresponding elements of input and absolute values (i.e. magnitudes) of one for complex tensors and is equivalent to torch.sign() for non-complex tensors.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.