torch.cummin#

https://pytorch.org/docs/stable/generated/torch.cummin.html#torch.cummin

Description:

Returns a namedtuple (values, indices) where values is the cumulative minimum of elements of input in the dimension dim. And indices is the index location of each maximum value found in the dimension dim. input (Tensor) – the input tensor. dim (int) – the dimension to do the operation over out (tuple, optional) – the result tuple of two output tensors (values, indices)

Function Signature

```
torch.cummin(input, dim, *, out=None)#
Parameters
Keyword Arguments
```

Parameters

Keyword

out (tuple, optional) – the result tuple of two output tensors (values, indices)

Code Examples

```
>>> a = torch.randn(10)
>>> a
tensor([-0.2284, -0.6628,  0.0975,  0.2680, -1.3298, -0.4220,
-0.3885,  1.1762,
     0.9165,  1.6684])
>>> torch.cummin(a, dim=0)
torch.return_types.cummin(
    values=tensor([-0.2284, -0.6628, -0.6628, -0.6628, -1.3298,
-1.3298, -1.3298, -1.3298,
    -1.3298, -1.3298]),
    indices=tensor([0, 1, 1, 1, 4, 4, 4, 4, 4, 4]))
```

Detailed Documentation

Documentation

Returns a namedtuple (values, indices) where values is the cumulative minimum of elements of input in the dimension dim. And indices is the index location of each maximum value found in the dimension dim.

input (Tensor) – the input tensor.

dim (int) – the dimension to do the operation over

out (tuple, optional) – the result tuple of two output tensors (values, indices)

Returns a namedtuple (values, indices) where values is the cumulative minimum of elements of input in the dimension dim. And indices is the index location of each maximum value found in the dimension dim.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

dim (int) – the dimension to do the operation over

dim (int) – the dimension to do the operation over

out (tuple, optional) – the result tuple of two output tensors (values, indices)