tf.compat.v1.substr Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/substr

> *Return substrings from Tensor of strings.*

Function Signatures

```
tf.compat.v1.substr( input, pos, len, name=None, unit='BYTE'
)
```

Code Examples

```
tf.compat.v1.substr(
input, pos, len, name=None, unit='BYTE'
)
```

```
tf.compat.v1.substr(
input, pos, len, name=None, unit='BYTE'
)
```

```
input = [b'Hello', b'World']
position = 1
length = 3
output = [b'ell', b'orl']
```

```
input = [b'Hello', b'World']
position = 1
length = 3
output = [b'ell', b'orl']
```

```
input = [[b'ten', b'eleven', b'twelve'],
[b'thirteen', b'fourteen', b'fifteen'],
[b'sixteen', b'seventeen', b'eighteen']]
position = [[1, 2, 3],
[1, 2, 3],
[1, 2, 3]]
length =   [[2, 3, 4],
[4, 3, 2],
[5, 5, 5]]
output = [[b'en', b'eve', b'lve'],
[b'hirt', b'urt', b'te'],
[b'ixtee', b'vente', b'hteen']]
```


```
input = [[b'ten', b'eleven', b'twelve'],
[b'thirteen', b'fourteen', b'fifteen'],
[b'sixteen', b'seventeen', b'eighteen']]
position = [[1, 2, 3],
[1, 2, 3],
[1, 2, 3]]
length =   [[2, 3, 4],
[4, 3, 2],
[5, 5, 5]]
output = [[b'en', b'eve', b'lve'],
[b'hirt', b'urt', b'te'],
[b'ixtee', b'vente', b'hteen']]
```

```
input = [[b'ten', b'eleven', b'twelve'],
[b'thirteen', b'fourteen', b'fifteen'],
[b'sixteen', b'seventeen', b'eighteen'],
[b'nineteen', b'twenty', b'twentyone']]
position = [1, 2, 3]
length =   [1, 2, 3]
output = [[b'e', b'ev', b'lve'],
[b'h', b'ur', b'tee'],
[b'i', b've', b'hte'],
[b'i', b'en', b'nty']]
```


```
input = [[b'ten', b'eleven', b'twelve'],
[b'thirteen', b'fourteen', b'fifteen'],
[b'sixteen', b'seventeen', b'eighteen'],
[b'nineteen', b'twenty', b'twentyone']]
position = [1, 2, 3]
length =   [1, 2, 3]
output = [[b'e', b'ev', b'lve'],
[b'h', b'ur', b'tee'],
[b'i', b've', b'hte'],
[b'i', b'en', b'nty']]
```


Documentation

Return substrings from Tensor of strings.

For each string in the input Tensor, creates a substring starting at index pos with a total length of len.

If len defines a substring that would extend beyond the length of the input string, or if len is negative, then as many characters as possible are used.

A negative pos indicates distance within the string backwards from the end.

If pos specifies an index which is out of range for any of the input strings, then an InvalidArgumentError is thrown.

pos and len must have the same shape, otherwise a ValueError is thrown on Op creation.

Examples

Using scalar pos and len:

Using pos and len with same shape as input:

Broadcasting pos and len onto input:

Broadcasting input onto pos and len:

Raises

• ValueError: If the first argument cannot be converted to a Tensor of dtype string.

- InvalidArgumentError: If indices are out of range.
- ValueError: If pos and len are not the same shape.

Returns