torch.fliplr#

https://pytorch.org/docs/stable/generated/torch.fliplr.html#torch.fliplr

Description:

Flip tensor in the left/right direction, returning a new tensor. Flip the entries in each row in the left/right direction. Columns are preserved, but appear in a different order than before. Requires the tensor to be at least 2-D.

Function Signature

```
torch.fliplr(input) → Tensor#

Parameters
```

Code Examples

```
>>> x = torch.arange(4).view(2, 2)
>>> x
tensor([[0, 1],
        [2, 3]])
>>> torch.fliplr(x)
tensor([[1, 0],
        [3, 2]])
```

Notes & Warnings

NOTE Note Requires the tensor to be at least 2-D.

NOTE Note torch.fliplr makes a copy of input's data. This is different from NumPy's np.fliplr, which returns a view in constant time. Since copying a tensor's data is more work than viewing that data, torch.fliplr is expected to be slower than np.fliplr.

Detailed Documentation

Documentation

Flip tensor in the left/right direction, returning a new tensor.

Flip the entries in each row in the left/right direction. Columns are preserved, but appear in a different order than before.

Requires the tensor to be at least 2-D.

torch.fliplr makes a copy of input’s data. This is different from NumPy’s np.fliplr, which returns a view in constant time. Since copying a tensor’s data is more work than viewing that data, torch.fliplr is expected to be slower than np.fliplr.

input (Tensor) – Must be at least 2-dimensional.