tf.irfftnd Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/irfftnd

> *ND inverse real fast Fourier transform.*

Function Signatures

```
tf.irfftnd( input: Annotated[Any, TV_IRFFTND_Tcomplex],
fft_length: Annotated[Any, _atypes.Int32], axes:
Annotated[Any, _atypes.Int32], Treal: TV_IRFFTND_Treal =
tf.dtypes.float32, name=None ) -> Annotated[Any,
TV_IRFFTND_Treal]
```

Code Examples

```
tf.irfftnd(
input: Annotated[Any, TV_IRFFTND_Tcomplex],
fft_length: Annotated[Any, _atypes.Int32],
axes: Annotated[Any, _atypes.Int32],
Treal: TV_IRFFTND_Treal = tf.dtypes.float32,
name=None
) -> Annotated[Any, TV_IRFFTND_Treal]
```


```
tf.irfftnd(
input: Annotated[Any, TV_IRFFTND_Tcomplex],
fft_length: Annotated[Any, _atypes.Int32],
axes: Annotated[Any, _atypes.Int32],
Treal: TV_IRFFTND_Treal = tf.dtypes.float32,
name=None
) -> Annotated[Any, TV_IRFFTND_Treal]
```


```
tf.dtypes.float32
```

Documentation

ND inverse real fast Fourier transform.

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.irfftnd

Computes the n-dimensional inverse real discrete Fourier transform over designated dimensions of input. The designated dimensions of input are assumed to be the result of IRFFTND. The inner-most dimension contains the fft_length / 2 + 1 unique components of the DFT of a real-valued signal.

If fft_length[i]shape(input)[i], the input is padded with zeros. If fft_length
is not given, the default shape(input) is used.

Axes mean the dimensions to perform the transform on. Default is to perform on all axes.

Returns