# tf.edit_distance Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/edit_distance

> *Computes the Levenshtein distance between sequences.*

## Function Signatures

```
tf.edit_distance( hypothesis, truth, normalize=True, name='edit_distance' )
```

## Code Examples

```
tf.edit_distance(
hypothesis, truth, normalize=True, name='edit_distance'
)
```


```
tf.edit_distance(
hypothesis, truth, normalize=True, name='edit_distance'
)
```

```
hypothesis = tf.SparseTensor(
[[0, 0, 0],
[1, 0, 0]],
["a", "b"],
(2, 1, 1))
truth = tf.SparseTensor(
[[0, 1, 0],
[1, 0, 0],
[1, 0, 1],
[1, 1, 0]],
["a", "b", "c", "a"],
(2, 2, 2))
tf.edit_distance(hypothesis, truth, normalize=True)
```

```
hypothesis = tf.SparseTensor(
```

```
[[0, 0, 0],
```

```
[1, 0, 0]],
```

```
["a", "b"],
```

# Documentation

Computes the Levenshtein distance between sequences.

## View aliases

Compat aliases for migration

See
Migration guide for

more details.

tf.compat.v1.edit_distance

This operation takes variable-length sequences (hypothesis and truth),
each provided as a SparseTensor, and computes the Levenshtein distance.
You can normalize the edit distance by length of truth by setting
normalize to true.

## For example:

Given the following input,

- hypothesis is a tf.SparseTensor of shape [2, 1, 1]
- truth is a tf.SparseTensor of shape [2, 2, 2]

The operation returns a dense Tensor of shape [2, 2] with
edit distances normalized by truth lengths.

For the following inputs,

## Returns

## Raises