avg_pool2d#

https://pytorch.org/docs/stable/generated/torch.ao.nn.quantized.functional.a

Description:

Applies 2D average-pooling operation in kH×kWkH \times kWkH×kW regions by step size sH×sWsH \times sWsH×sW steps. The number of output features is equal to the number of input planes. The input quantization parameters propagate to the output. See AvgPool2d for details and output shape. input – quantized input tensor (minibatch,in_channels,iH,iW)(\text{minibatch} , \text{in_channels} , iH , iW)(minibatch,in_channels,iH,iW)

Function Signature

```
class torch.ao.nn.quantized.functional.avg_pool2d(input,
kernel_size, stride=None, padding=0, ceil_mode=False,
count_include_pad=True, divisor_override=None)[source]#

Parameters
```

Notes & Warnings

NOTE Note The input quantization parameters propagate to the output.

Detailed Documentation

Documentation

Applies 2D average-pooling operation in kH×kWkH \times kWkH×kW regions by step size sH×sWsH \times sWsH×sW steps. The number of output features is equal to the number of input planes.

The input quantization parameters propagate to the output.

See AvgPool2d for details and output shape.

input – quantized input tensor (minibatch,in_channels,iH,iW)(\text{minibatch} , \text{in_channels} , iH , iW)(minibatch,in_channels,iH,iW)

kernel_size – size of the pooling region. Can be a single number or a tuple (kH, kW)

stride – stride of the pooling operation. Can be a single number or a tuple (sH, sW). Default: kernel_size

padding – implicit zero paddings on both sides of the input. Can be a single number or a tuple (padH, padW). Default: 0

ceil_mode – when True, will use ceil instead of floor in the formula to compute the output shape. Default: False

count_include_pad – when True, will include the zero-padding in the averaging calculation. Default: True

divisor_override – if specified, it will be used as divisor, otherwise size of the pooling region will be used. Default: None