tf.compat.v1.sparse_to_dense Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/sparse_to_dense

> *Converts a sparse representation into a dense tensor. (deprecated)*

Function Signatures

```
tf.compat.v1.sparse_to_dense( sparse_indices, output_shape,
sparse_values, default_value=0, validate_indices=True,
name=None )
```

Code Examples

```
tf.compat.v1.sparse_to_dense(
sparse_indices,
output_shape,
sparse_values,
default_value=0,
validate_indices=True,
name=None
)
```

```
tf.compat.v1.sparse_to_dense(
sparse_indices,
output_shape,
sparse_values,
default_value=0,
validate_indices=True,
name=None
)
```

```
# If sparse_indices is scalar
dense[i] = (i == sparse_indices ? sparse_values : default_value)
# If sparse_indices is a vector, then for each i
dense[sparse_indices[i]] = sparse_values[i]
# If sparse_indices is an n by d matrix, then for each i in [0, n)
dense[sparse_indices[i][0], ..., sparse_indices[i][d-1]] =
sparse_values[i]
```


```
# If sparse_indices is scalar
dense[i] = (i == sparse_indices ? sparse_values : default_value)
# If sparse_indices is a vector, then for each i
dense[sparse_indices[i]] = sparse_values[i]
# If sparse_indices is an n by d matrix, then for each i in [0, n)
dense[sparse_indices[i][0], ..., sparse_indices[i][d-1]] =
sparse_values[i]
```

Documentation

Converts a sparse representation into a dense tensor. (deprecated)

Builds an array dense with shape output_shape such that

All other values in dense are set to default_value. If sparse_values is a scalar, all sparse indices are set to this single value.

Indices should be sorted in lexicographic order, and indices must not contain any repeats. If validate_indices is True, these properties are checked during execution.

Returns