torch.broadcast_tensors#

https://pytorch.org/docs/stable/generated/torch.broadcast_tensors.html

Description:

Broadcasts the given tensors according to Broadcasting semantics. *tensors – any number of tensors of the same type More than one element of a broadcasted tensor may refer to a single memory location. As a result, in-place operations (especially ones that are vectorized) may result in incorrect behavior. If you need to write to the tensors, please clone them first.

Function Signature

```
torch.broadcast_tensors(*tensors) → List of Tensors[source]#
Parameters
```

Code Examples

```
>>> x = torch.arange(3).view(1, 3)
>>> y = torch.arange(2).view(2, 1)
>>> a, b = torch.broadcast_tensors(x, y)
>>> a.size()
torch.Size([2, 3])
>>> a
tensor([[0, 1, 2],
        [0, 1, 2]])
```

Notes & Warnings

⚠ **WARNING**

Warning More than one element of a broadcasted tensor may refer to a single memory location. As a result, in-place operations (especially ones that are vectorized) may result in incorrect behavior. If you need to write to the tensors, please clone them first.

Detailed Documentation

Documentation

Broadcasts the given tensors according to Broadcasting semantics.

*tensors – any number of tensors of the same type

More than one element of a broadcasted tensor may refer to a single memory location. As a result, in-place operations (especially ones that are vectorized) may result in incorrect behavior. If you need to write to the tensors, please clone them first.

Broadcasts the given tensors according to Broadcasting semantics.

*tensors – any number of tensors of the same type

More than one element of a broadcasted tensor may refer to a single memory location. As a result, in-place operations (especially ones that are vectorized) may result in incorrect behavior. If you need to write to the tensors, please clone them first.