torch.lcm#

https://pytorch.org/docs/stable/generated/torch.lcm.html

Description:

Computes the element-wise least common multiple (LCM) of input and other. Both input and other must have integer types. This defines lcm(0,0)=0lcm(0, 0) = 0lcm(0,0)=0 and lcm(0,a)=0lcm(0, a) = 0lcm(0,a)=0. input (Tensor) – the input tensor.

Function Signature

```
torch.lcm(input, other, *, out=None) → Tensor#
Parameters
Keyword Arguments
```

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> a = torch.tensor([5, 10, 15])
>>> b = torch.tensor([3, 4, 5])
>>> torch.lcm(a, b)
tensor([15, 20, 15])
>>> c = torch.tensor([3])
>>> torch.lcm(a, c)
tensor([15, 30, 15])
```

Notes & Warnings

NOTE

Note This defines lcm(0,0)=0lcm(0, 0) = 0lcm(0,0)=0 and lcm(0,a)=0lcm(0, a) = 0lcm(0,a)=0.

Detailed Documentation

Documentation

Computes the element-wise least common multiple (LCM) of input and other.

Both input and other must have integer types.

This defines lcm(0,0)=0lcm(0, 0) = 0lcm(0,0)=0 and lcm(0,a)=0lcm(0, a) = 0lcm(0,a)=0.

input (Tensor) – the input tensor.

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.

Computes the element-wise least common multiple (LCM) of input and other.

Both input and other must have integer types.

This defines lcm(0,0)=0lcm(0, 0) = 0lcm(0,0)=0 and lcm(0,a)=0lcm(0, a) = 0lcm(0,a)=0.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

other (Tensor) – the second input tensor

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.