tf.compat.v1.math.erf Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/erf

> *Computes the [Gauss error function](https://en.wikipedia.org/wiki/Error_function) of x element-wise. In statistics, for non-negative values of \\(x\\), the error function has the following interpretation: for a random variable \\(Y\\) that is normally distributed with mean 0 and variance \\(1/\sqrt{2}\\), \\(erf(x)\\) is the probability that \\(Y\\) falls in the range \\([−x, x]\\).*

Function Signatures

```
tf.compat.v1.math.erf( x: Annotated[Any, tf.raw_ops.Any], name=None ) -> Annotated[Any, tf.raw_ops.Any]
tf.math.erf([[1.0, 2.0, 3.0], [0.0, -1.0, -2.0]])
```

Code Examples

```
tf.compat.v1.math.erf(
x: Annotated[Any, tf.raw_ops.Any],
name=None
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.compat.v1.math.erf(
x: Annotated[Any, tf.raw_ops.Any],
name=None
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
tf.math.erf([[1.0, 2.0, 3.0], [0.0, -1.0, -2.0]])
```

```
tf.math.erf([[1.0, 2.0, 3.0], [0.0, -1.0, -2.0]])
```

```
array([[ 0.8427007,  0.9953223,  0.999978 ],
```

Documentation

Computes the Gauss error function of x element-wise. In statistics, for non-negative values of \(x\), the error function has the following interpretation: for a random variable \(Y\) that is normally distributed with mean 0 and variance \(1/\sqrt{2}\), \(erf(x)\) is the probability that \(Y\) falls in the range \([−x, x]\).

For example:

Returns

If x is a SparseTensor, returns
SparseTensor(x.indices, tf.math.erf(x.values, ...), x.dense_shape)