# tf.zeros_like Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/zeros_like

> *Creates a tensor with all elements set to zero.*

## Function Signatures

```
tf.zeros_like( input, dtype=None, name=None, layout=None )
```

## Code Examples

```
tf.zeros_like(
input, dtype=None, name=None, layout=None
)
```


```
tf.zeros_like(
input, dtype=None, name=None, layout=None
)
```


```
>>> tensor = tf.constant([[1, 2, 3], [4, 5, 6]])
>>> tf.zeros_like(tensor)
```

```
>>> tensor = tf.constant([[1, 2, 3], [4, 5, 6]])
>>> tf.zeros_like(tensor)
```

```
tf.zeros_like(tensor, dtype=tf.float32)
```

```
tf.zeros_like(tensor, dtype=tf.float32)
```

```
array([[0., 0., 0.],
```

# Documentation

Creates a tensor with all elements set to zero.

## Used in the notebooks

• Automatically rewrite TF 1.x and compat.v1 API symbols

- CycleGAN
- Deep Convolutional Generative Adversarial Network
- DeepDream
- pix2pix: Image-to-image translation with a conditional GAN
- Integrated gradients

See also tf.zeros.

Given a single tensor or array-like object (input), this operation returns
a tensor of the same type and shape as input with all elements set to zero.
Optionally, you can use dtype to specify a new type for the returned tensor.

Note that the layout of the input tensor is not preserved if the op
is used inside tf.function. To obtain a tensor with the same layout as the
input, chain the returned value to a dtensor.relayout_like.

## Examples

## Returns