torch.rot90#

https://pytorch.org/docs/stable/generated/torch.rot90.html#torch.rot90

Description:

Rotate an n-D tensor by 90 degrees in the plane specified by dims axis. Rotation direction is from the first towards the second axis if k > 0, and from the second towards the first for k < 0. input (Tensor) – the input tensor. k (int) – number of times to rotate. Default value is 1 dims (a list or tuple) – axis to rotate. Default value is [0, 1]

Function Signature

```
torch.rot90(input, k=1, dims=(0, 1)) → Tensor#

Parameters
```

Code Examples

```
>>> x = torch.arange(4).view(2, 2)
>>> x
tensor([[0, 1],
        [2, 3]])
>>> torch.rot90(x, 1, [0, 1])
tensor([[1, 3],
        [0, 2]])

>>> x = torch.arange(8).view(2, 2, 2)
>>> x
tensor([[[0, 1],
         [2, 3]],

        [[4, 5],
         [6, 7]]])
>>> torch.rot90(x, 1, [1, 2])
tensor([[[1, 3],
         [0, 2]],

        [[5, 7],
         [4, 6]]])
```

Detailed Documentation

Documentation

Rotate an n-D tensor by 90 degrees in the plane specified by dims axis. Rotation direction is from the first towards the second axis if k > 0, and from the second towards the first for k < 0.

input (Tensor) – the input tensor.

k (int) – number of times to rotate. Default value is 1

dims (a list or tuple) – axis to rotate. Default value is [0, 1]

Rotate an n-D tensor by 90 degrees in the plane specified by dims axis. Rotation direction is from the first towards the second axis if k > 0, and from the second towards the first for k < 0.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

k (int) – number of times to rotate. Default value is 1

k (int) – number of times to rotate. Default value is 1

dims (a list or tuple) – axis to rotate. Default value is [0, 1]

dims (a list or tuple) – axis to rotate. Default value is [0, 1]