tf.compat.v1.metrics.root_mean_squared_e Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/metrics/root_mean_squared_error

> *Computes the root mean squared error between the labels and predictions.*

Function Signatures

```
tf.compat.v1.metrics.root_mean_squared_error( labels,
predictions, weights=None, metrics_collections=None,
updates_collections=None, name=None )
```

Code Examples

```
tf.compat.v1.metrics.root_mean_squared_error(
labels,
predictions,
weights=None,
metrics_collections=None,
updates_collections=None,
name=None
)
```


```
tf.compat.v1.metrics.root_mean_squared_error(
labels,
predictions,
weights=None,
metrics_collections=None,
updates_collections=None,
name=None
)
```

Documentation

Computes the root mean squared error between the labels and predictions.

The root_mean_squared_error function creates two local variables,
total and count that are used to compute the root mean squared error.
This average is weighted by weights, and it is ultimately returned as
root_mean_squared_error: an idempotent operation that takes the square root
of the division of total by count.

For estimation of the metric over a stream of data, the function creates an
update_op operation that updates these variables and returns the
root_mean_squared_error. Internally, a squared_error operation computes
the element-wise square of the difference between predictions and labels.
Then update_op increments total with the reduced sum of the product of
weights and squared_error, and it increments count with the reduced sum
of weights.

If weights is None, weights default to 1. Use weights of 0 to mask values.

Returns

Raises