torch.save#

https://pytorch.org/docs/stable/generated/torch.save.html

Description:

Saves an object to a disk file. See also: Saving and loading tensors See Layout Control for more advanced tools to manipulate a checkpoint. obj (object) – saved object f (Union[str, PathLike[str], IO[bytes]]) – a file-like object (has to implement write and flush) or a string or os.PathLike object containing a file name

Function Signature

```
torch.save(obj, f, pickle_module=pickle, pickle_protocol=2,
_use_new_zipfile_serialization=True)[source]#

Parameters
```

Code Examples

```
>>> # Save to file
>>> x = torch.tensor([0, 1, 2, 3, 4])
>>> torch.save(x, "tensor.pt")
>>> # Save to io.BytesIO buffer
>>> buffer = io.BytesIO()
>>> torch.save(x, buffer)
```

Notes & Warnings

> **NOTE** Note A common PyTorch convention is to save tensors using .pt file extension.

> **NOTE** Note PyTorch preserves storage sharing across serialization. See Saving and loading tensors preserves views for more details.

> **NOTE** Note The 1.6 release of PyTorch switched torch.save to use a new zipfile-based file format. torch.load still retains the ability to load files in the old format. If for any reason you want torch.save to use the old format, pass the kwarg _use_new_zipfile_serialization=False.

Detailed Documentation

Documentation

Saves an object to a disk file.

See also: Saving and loading tensors

See Layout Control for more advanced tools to manipulate a checkpoint.

obj (object) – saved object

f (Union[str, PathLike[str], IO[bytes]]) – a file-like object (has to implement write and flush) or a string or os.PathLike object containing a file name

pickle_module (Any) – module used for pickling metadata and objects

pickle_protocol (int) – can be specified to override the default protocol

A common PyTorch convention is to save tensors using .pt file extension.

PyTorch preserves storage sharing across serialization. See Saving and loading tensors preserves views for more details.

The 1.6 release of PyTorch switched torch.save to use a new zipfile-based file format. torch.load still retains the ability to load files in the old format. If for any reason you want torch.save to use the old format, pass the kwarg _use_new_zipfile_serialization=False.