Softshrink#

https://pytorch.org/docs/stable/generated/torch.nn.Softshrink.html

Description:

Applies the soft shrinkage function element-wise. lambd (float) – the λ\lambdaλ (must be no less than zero) value for the Softshrink formulation. Default: 0.5 Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions. Output: $(*)$(*)$(*)$, same shape as the input.

Function Signature

```
class torch.nn.Softshrink(lambd=0.5)[source]#
Parameters
Shape:
extra_repr()[source]#
Return type
```

Returns:

Tensor

Code Examples

```
>>> m = nn.Softshrink()
>>> input = torch.randn(2)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the soft shrinkage function element-wise.

lambd (float) – the λ\lambdaλ (must be no less than zero) value for the Softshrink formulation. Default: 0.5

Input: (∗)(*)(∗), where ∗*∗ means any number of dimensions.

Output: (∗)(*)(∗), same shape as the input.

Return the extra representation of the module.

Applies the soft shrinkage function element-wise.

lambd (float) – the λ\lambdaλ (must be no less than zero) value for the Softshrink formulation. Default: 0.5

Input: (∗)(*)(∗), where ∗*∗ means any number of dimensions.

Input: (∗)(*)(∗), where ∗*∗ means any number of dimensions.

Output: (∗)(*)(∗), same shape as the input.

Output: (∗)(*)(∗), same shape as the input.

Return the extra representation of the module.