Threshold#

https://pytorch.org/docs/stable/generated/torch.nn.modules.activation.Thresh

Description:

Thresholds each element of the input Tensor. Threshold is defined as: threshold (float) – The value to threshold at value (float) – The value to replace with inplace (bool) – can optionally do the operation in-place. Default: False

Function Signature

```
class torch.nn.modules.activation.Threshold(threshold,
value, inplace=False)[source]#

Parameters

Shape:

extra_repr()[source]#

Return type
```

Returns:

Tensor

Code Examples

```
>>> m = nn.Threshold(0, 0.5)
>>> input = torch.arange(-3, 3)
>>> output = m(input)
```

Detailed Documentation

Documentation

Thresholds each element of the input Tensor.

Threshold is defined as:

threshold (float) – The value to threshold at

value (float) – The value to replace with

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Output: $(*)$(*)$(*)$, same shape as the input.

Return the extra representation of the module.

Runs the forward pass.

Thresholds each element of the input Tensor.

Threshold is defined as:

threshold (float) – The value to threshold at

threshold (float) – The value to threshold at

value (float) – The value to replace with

value (float) – The value to replace with

inplace (bool) – can optionally do the operation in-place. Default: False

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Output: $(*)$(*)$(*)$, same shape as the input.

Output: $(*)$(*)$(*)$, same shape as the input.

Return the extra representation of the module.

Runs the forward pass.