tf.compat.v1.glorot_normal_initializer Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/glorot_normal_initializer

> *The Glorot normal initializer, also called Xavier normal initializer.*

Function Signatures

```
tf.compat.v1.glorot_normal_initializer( seed=None,
dtype=tf.dtypes.float32 )
stddev = sqrt(2 / (fan_in + fan_out))
```

Code Examples

```
tf.compat.v1.glorot_normal_initializer(
seed=None,
dtype=tf.dtypes.float32
)
```

```
tf.compat.v1.glorot_normal_initializer(
seed=None,
dtype=tf.dtypes.float32
)
```

```
tf.dtypes.float32
```

```
@classmethod
from_config(
config
)
```

```
@classmethod
```

```
from_config(
config
)
```

```
initializer = RandomUniform(-1, 1)
config = initializer.get_config()
initializer = RandomUniform.from_config(config)
```

```
initializer = RandomUniform(-1, 1)
config = initializer.get_config()
initializer = RandomUniform.from_config(config)
```

Documentation

The Glorot normal initializer, also called Xavier normal initializer.

Inherits From: variance_scaling_initializer

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.initializers.glorot_normal

It draws samples from a truncated normal distribution centered on 0 with standard deviation (after truncation) given by stddev = sqrt(2 / (fan_in + fan_out)) where fan_in is the number of input units in the weight tensor and fan_out is the number of output units in the weight tensor.

References

Methods

from_config

View source

Instantiates an initializer from a configuration dictionary.

Example:

get_config

View source

Returns the configuration of the initializer as a JSON-serializable dict.

__call__

View source

Returns a tensor object initialized as specified by the initializer.