tf.compat.v1.arg_max Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/arg_max

> *Returns the index with the largest value across dimensions of a tensor. (deprecated)*

Function Signatures

```
tf.compat.v1.arg_max( input: Annotated[Any, tf.raw_ops.Any], dimension: Annotated[Any, tf.raw_ops.Any], output_type: TV_ArgMax_output_type = tf.dtypes.int64, name=None ) -> Annotated[Any, tf.raw_ops.Any]
```

Code Examples

```
tf.compat.v1.arg_max(
input: Annotated[Any, tf.raw_ops.Any],
dimension: Annotated[Any, tf.raw_ops.Any],
output_type: TV_ArgMax_output_type = tf.dtypes.int64,
name=None
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.compat.v1.arg_max(
input: Annotated[Any, tf.raw_ops.Any],
dimension: Annotated[Any, tf.raw_ops.Any],
output_type: TV_ArgMax_output_type = tf.dtypes.int64,
name=None
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
tf.dtypes.int64
```

```
tf.raw_ops.Any
```

```
import tensorflow as tf
a = [1, 10, 26.9, 2.8, 166.32, 62.3]
b = tf.math.argmax(input = a)
c = tf.keras.backend.eval(b)
# c = 4
# here a[4] = 166.32 which is the largest element of a across axis 0
```

```
import tensorflow as tf
a = [1, 10, 26.9, 2.8, 166.32, 62.3]
b = tf.math.argmax(input = a)
c = tf.keras.backend.eval(b)
# c = 4
# here a[4] = 166.32 which is the largest element of a across axis 0
```

Documentation

Returns the index with the largest value across dimensions of a tensor. (deprecated)

Note that in case of ties the identity of the return value is not guaranteed.

Returns