tf.get_static_value Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/get_static_value

> *Returns the constant value of the given tensor, if efficiently calculable.*

Function Signatures

```
tf.get_static_value( tensor, partial=False )
a = tf.constant(10)
tf.get_static_value(a)
```

Code Examples

```
tf.get_static_value(
tensor, partial=False
)
```

```
tf.get_static_value(
tensor, partial=False
)
```

```
a = tf.constant(10)
tf.get_static_value(a)
10
b = tf.constant(20)
tf.get_static_value(tf.add(a, b))
30
```

```
a = tf.constant(10)
```

```
tf.get_static_value(a)
```

```
b = tf.constant(20)
```

```
tf.get_static_value(tf.add(a, b))
```

Documentation

Returns the constant value of the given tensor, if efficiently calculable.

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.get_static_value

Used in the notebooks

• Bayesian Modeling with Joint Distribution

This function attempts to partially evaluate the given tensor, and returns its value as a numpy ndarray if this succeeds.

Example usage:

Using partial option is most relevant when calling get_static_value inside a tf.function. Setting it to True will return the results but for the values that cannot be evaluated will be None. For example:

Compatibility(V1): If constant_value(tensor) returns a non-None result, it will no longer be possible to feed a different value for tensor. This allows the result of this function to influence the graph that is constructed, and permits static shape optimizations.

Returns

Raises