tf.IndexedSlicesSpec Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/IndexedSlicesSpec

> *Type specification for a tf.IndexedSlices.*

Function Signatures

```
tf.IndexedSlicesSpec( shape=None, dtype=tf.dtypes.float32,
indices_dtype=tf.dtypes.int64, dense_shape_dtype=None,
indices_shape=None )
```

Code Examples

```
tf.IndexedSlicesSpec(
shape=None,
dtype=tf.dtypes.float32,
indices_dtype=tf.dtypes.int64,
dense_shape_dtype=None,
indices_shape=None
)
```

```
tf.IndexedSlicesSpec(
shape=None,
dtype=tf.dtypes.float32,
indices_dtype=tf.dtypes.int64,
dense_shape_dtype=None,
indices_shape=None
)
```

```
tf.dtypes.float32
```

```
tf.dtypes.int64
```

```
experimental_as_proto() -> struct_pb2.TypeSpecProto
```

```
experimental_as_proto() -> struct_pb2.TypeSpecProto
```

```
@classmethod
experimental_from_proto(
proto: struct_pb2.TypeSpecProto
) -> 'TypeSpec'
```

```
@classmethod
```

Documentation

Type specification for a tf.IndexedSlices.

Inherits From: TypeSpec, TraceType

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.IndexedSlicesSpec

Attributes

Methods

experimental_as_proto

View source

Returns a proto representation of the TypeSpec instance.

Do NOT override for custom non-TF types.

experimental_from_proto

View source

Returns a TypeSpec instance based on the serialized proto.

Do NOT override for custom non-TF types.

experimental_type_proto

View source

Returns the type of proto associated with TypeSpec serialization.

Do NOT override for custom non-TF types.

is_compatible_with

View source

Returns true if spec_or_value is compatible with this TypeSpec.

Prefer using "is_subtype_of" and "most_specific_common_supertype" wherever possible.

is_subtype_of

View source

Returns True if self is a subtype of other.

Implements the tf.types.experimental.func.TraceType interface.

If not overridden by a subclass, the default behavior is to assume the TypeSpec is covariant upon attributes that implement TraceType and invariant upon rest of the attributes as well as the structure and type of the TypeSpec.

most_specific_common_supertype

View source

Returns the most specific supertype TypeSpec of self and others.

Implements the tf.types.experimental.func.TraceType interface.

If not overridden by a subclass, the default behavior is to assume the TypeSpec is covariant upon attributes that implement TraceType and invariant upon rest of the attributes as well as the structure and type of the TypeSpec.

most_specific_compatible_type

View source

Returns the most specific TypeSpec compatible with self and other. (deprecated)

Deprecated. Please use most_specific_common_supertype instead. Do not override this function.

__eq__

View source

Return self==value.

__ne__

View source

Return self!=value.
