Hardswish#

https://pytorch.org/docs/stable/generated/torch.nn.modules.activation.Hardsw

Description:

Applies the Hardswish function, element-wise. Method described in the paper: Searching for MobileNetV3. Hardswish is defined as: inplace (bool) – can optionally do the operation in-place. Default: False Input: $(*)$ (*)$(*)$, where $*$*$*$ means any number of dimensions.

Function Signature

```
class torch.nn.modules.activation.Hardswish(inplace=False)
[source]#

Parameters

Shape:

forward(input)[source]#

Return type
```

Returns:

Tensor

Code Examples

```
>>> m = nn.Hardswish()
>>> input = torch.randn(2)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the Hardswish function, element-wise.

Method described in the paper: Searching for MobileNetV3.

Hardswish is defined as:

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Output: $(*)$(*)$(*)$, same shape as the input.

Runs the forward pass.

Applies the Hardswish function, element-wise.

Method described in the paper: Searching for MobileNetV3.

Hardswish is defined as:

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Output: $(*)$(*)$(*)$, same shape as the input.

Output: $(*)$(*)$(*)$, same shape as the input.

Runs the forward pass.