

Module: `tf.compat.v1` Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1

Bring in all of the public TensorFlow interface into this module.

Code Examples

```
{  
  tf.qint16,  
  tf.qint16_ref,  
  tf.qint32,  
  tf.qint32_ref,  
  tf.qint8,  
  tf.qint8_ref,  
  tf.quint16,  
  tf.quint16_ref,  
  tf.quint8,  
  tf.quint8_ref  
}
```

```
{  
  tf.qint16,  
  tf.qint16_ref,  
  tf.qint32,  
  tf.qint32_ref,  
  tf.qint8,  
  tf.qint8_ref,  
  tf.quint16,  
  tf.quint16_ref,  
  tf.quint8,  
  tf.quint8_ref  
}
```

Documentation

Bring in all of the public TensorFlow interface into this module.

Modules

app module: Public API for tf._api.v2.app namespace

audio module: Public API for tf._api.v2.audio namespace

autograph module: Public API for tf._api.v2.autograph namespace

bitwise module: Public API for tf._api.v2.bitwise namespace

compat module: Public API for tf._api.v2.compat namespace

config module: Public API for tf._api.v2.config namespace

data module: Public API for tf._api.v2.data namespace

debugging module: Public API for tf._api.v2.debugging namespace

distribute module: Public API for tf._api.v2.distribute namespace

distributions module: Public API for tf._api.v2.distributions namespace

dtypes module: Public API for tf._api.v2.dtypes namespace

errors module: Public API for tf._api.v2.errors namespace

experimental module: Public API for tf._api.v2.experimental namespace

feature_column module: Public API for tf._api.v2.feature_column namespace

flags module: Import router for absl.flags. See <https://github.com/abseil/abseil-py>

gfile module: Public API for tf._api.v2.gfile namespace

graph_util module: Public API for tf._api.v2.graph_util namespace

image module: Public API for tf._api.v2.image namespace

initializers module: Public API for tf._api.v2.initializers namespace

io module: Public API for tf._api.v2.io namespace

keras module: DO NOT EDIT.

layers module

linalg module: Public API for tf._api.v2.linalg namespace

lite module: Public API for tf._api.v2.lite namespace

logging module: Public API for tf._api.v2.logging namespace

lookup module: Public API for tf._api.v2.lookup namespace

losses module: Public API for tf._api.v2.losses namespace

manip module: Public API for tf._api.v2.manip namespace

math module: Public API for tf._api.v2.math namespace

metrics module: Public API for tf._api.v2.metrics namespace

mixed_precision module: Public API for tf._api.v2.mixed_precision namespace

mlir module: Public API for tf._api.v2.mlir namespace

nest module: Public API for tf._api.v2.nest namespace

nn module: Public API for tf._api.v2.nn namespace

profiler module: Public API for tf._api.v2.profiler namespace

python_io module: Public API for tf._api.v2.python_io namespace

quantization module: Public API for tf._api.v2.quantization namespace

queue module: Public API for tf._api.v2.queue namespace

ragged module: Public API for tf._api.v2.ragged namespace

random module: Public API for tf._api.v2.random namespace

raw_ops module: Public API for tf._api.v2.raw_ops namespace

resource_loader module: Public API for tf._api.v2.resource_loader namespace

saved_model module: Public API for tf._api.v2.saved_model namespace

sets module: Public API for tf._api.v2.sets namespace

signal module: Public API for tf._api.v2.signal namespace

sparse module: Public API for tf._api.v2.sparse namespace

spectral module: Public API for tf._api.v2.spectral namespace

strings module: Public API for tf._api.v2.strings namespace

summary module: Public API for tf._api.v2.summary namespace

sysconfig module: Public API for tf._api.v2.sysconfig namespace

test module: Public API for tf._api.v2.test namespace

tpu module: Public API for tf._api.v2.tpu namespace

train module: Public API for tf._api.v2.train namespace

types module: Public API for tf._api.v2.types namespace

user_ops module: Public API for tf._api.v2.user_ops namespace

version module: Public API for tf._api.v2.version namespace

xla module: Public API for tf._api.v2.xla namespace

Classes

class AggregationMethod: A class listing aggregation methods used to combine gradients.

class AttrValue: A ProtocolMessage

class ConditionalAccumulator: A conditional accumulator for aggregating gradients.

class ConditionalAccumulatorBase: A conditional accumulator for aggregating gradients.

class ConfigProto: A ProtocolMessage

class CriticalSection: Critical section.

class DType: Represents the type of the elements in a Tensor.

class DeviceSpec: Represents a (possibly partial) specification for a TensorFlow device.

class Dimension: Represents the value of one dimension in a TensorShape.

class Event: A ProtocolMessage

class FIFOQueue: A queue implementation that dequeues elements in first-in first-out order.

class FixedLenFeature: Configuration for parsing a fixed-length input feature.

class FixedLenSequenceFeature: Configuration for parsing a variable-length input feature into a Tensor.

class FixedLengthRecordReader: A Reader that outputs fixed-length records from a file.

class GPUOptions: A ProtocolMessage

class GradientTape: Record operations for automatic differentiation.

class Graph: A TensorFlow computation, represented as a dataflow graph.

class GraphDef: A protobuf containing the graph of operations.

class GraphKeys: Standard names to use for graph collections.

class GraphOptions: A ProtocolMessage

class HistogramProto: A ProtocolMessage

class IdentityReader: A Reader that outputs the queued work as both the key and value.

class IndexedSlices: A sparse representation of a set of tensor slices at given indices.

class IndexedSlicesSpec: Type specification for a tf.IndexedSlices.

class InteractiveSession: A TensorFlow Session for use in interactive contexts, such as a shell.

class LMDBReader: A Reader that outputs the records from a LMDB file.

class LogMessage: A ProtocolMessage

class MetaGraphDef: A ProtocolMessage

class Module: Base neural network module class.

class NameAttrList: A ProtocolMessage

class NodeDef: A ProtocolMessage

class OpError: The base class for TensorFlow exceptions.

class Operation: Represents a graph node that performs computation on tensors.

class OptimizerOptions: A ProtocolMessage

class OptionalSpec: Type specification for tf.experimental.Optional.

class PaddingFIFOQueue: A FIFOQueue that supports batching variable-sized tensors by padding.

class PriorityQueue: A queue implementation that dequeues elements in prioritized order.

class QueueBase: Base class for queue implementations.