

tf.compat.v1.ConditionalAccumulatorBase

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/ConditionalAccumulatorBase

A conditional accumulator for aggregating gradients.

Function Signatures

```
tf.compat.v1.ConditionalAccumulatorBase( dtype, shape, accumulator_ref )
```

Code Examples

```
tf.compat.v1.ConditionalAccumulatorBase(  
dtype, shape, accumulator_ref  
)
```

```
tf.compat.v1.ConditionalAccumulatorBase(  
dtype, shape, accumulator_ref  
)
```

```
num_accumulated(  
name=None  
)
```

```
num_accumulated(  
name=None  
)
```

```
set_global_step(  
new_global_step, name=None  
)
```

```
set_global_step(  
new_global_step, name=None  
)
```

Documentation

A conditional accumulator for aggregating gradients.

Up-to-date gradients (i.e., time step at which gradient was computed is equal to the accumulator's time step) are added to the accumulator.

Extraction of the average gradient is blocked until the required number of gradients has been accumulated.

Attributes

Methods

num_accumulated

[View source](#)

Number of gradients that have currently been aggregated in accumulator.

set_global_step

[View source](#)

Sets the global time step of the accumulator.

The operation logs a warning if we attempt to set to a time step that is lower than the accumulator's own time step.