

tf.compat.v1.assert_rank_in Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/assert_rank_in

Assert x has rank in ranks.

Function Signatures

```
tf.compat.v1.assert_rank_in( x, ranks, data=None,
                             summarize=None, message=None, name=None )
with tf.control_dependencies([tf.compat.v1.assert_rank_in(x,
(2, 4))]): output = tf.reduce_sum(x)
```

Code Examples

```
tf.compat.v1.assert_rank_in(  
x, ranks, data=None, summarize=None, message=None, name=None  
)
```

```
tf.compat.v1.assert_rank_in(  
x, ranks, data=None, summarize=None, message=None, name=None  
)
```

```
with tf.control_dependencies([tf.compat.v1.assert_rank_in(x, (2,  
4))]):  
output = tf.reduce_sum(x)
```

```
with tf.control_dependencies([tf.compat.v1.assert_rank_in(x, (2,  
4))]):  
output = tf.reduce_sum(x)
```

Documentation

Assert x has rank in ranks.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.debugging.assert_rank_in`

Example of adding a dependency to an operation:

Returns

Raises