

Module: tf.compat.v1.debugging Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/debugging

Public API for tf._api.v2.debugging namespace

Function Signatures

```
Assert(...)
assert_all_finite(...)
assert_equal(...)
```

Documentation

Public API for tf._api.v2.debugging namespace

Modules

experimental module: Public API for tf._api.v2.debugging.experimental namespace

Functions

Assert(...): Asserts that the given condition is true.

`assert_all_finite(...)`: Assert that the tensor does not contain any NaN's or Inf's.

`assert_equal(...)`: Assert the condition $x == y$ holds element-wise.

`assert_greater(...)`: Assert the condition $x > y$ holds element-wise.

`assert_greater_equal(...)`: Assert the condition $x \geq y$ holds element-wise.

`assert_integer(...)`: Assert that x is of integer dtype.

`assert_less(...)`: Assert the condition $x < y$ holds element-wise.

`assert_less_equal(...)`: Assert the condition $x \leq y$ holds element-wise.

`assert_near(...)`: Assert the condition x and y are close element-wise.

`assert_negative(...)`: Assert the condition $x < 0$ holds element-wise.

`assert_non_negative(...)`: Assert the condition $x \geq 0$ holds element-wise.

`assert_non_positive(...)`: Assert the condition $x \leq 0$ holds element-wise.

`assert_none_equal(...)`: Assert the condition $x \neq y$ holds element-wise.

`assert_positive(...)`: Assert the condition $x > 0$ holds element-wise.

`assert_proper_iterable(...)`: Static assert that values is a "proper" iterable.

`assert_rank(...)`: Assert x has rank equal to rank.

`assert_rank_at_least(...)`: Assert x has rank equal to rank or higher.

`assert_rank_in(...)`: Assert x has rank in ranks.

`assert_same_float_dtype(...)`: Validate and return float type based on tensors and dtype.

`assert_scalar(...)`: Asserts that the given tensor is a scalar (i.e. zero-dimensional).

`assert_shapes(...)`: Assert tensor shapes and dimension size relationships between tensors.

`assert_type(...)`: Statically asserts that the given Tensor is of the specified type.

`check_numerics(...)`: Checks a tensor for NaN and Inf values.

`disable_check_numerics(...)`: Disable the eager/graph unified numerics checking mechanism.

`disable_traceback_filtering(...)`: Disable filtering out TensorFlow-internal frames in exception stack traces.

`enable_check_numerics(...)`: Enable tensor numerics checking in an eager/graph unified fashion.

`enable_traceback_filtering(...)`: Enable filtering out TensorFlow-internal frames in exception stack traces.

`get_log_device_placement(...)`: Get if device placements are logged.

`is_finite(...)`: Returns which elements of x are finite.

`is_inf(...)`: Returns which elements of x are Inf.

`is_nan(...)`: Returns which elements of x are NaN.

`is_non_decreasing(...)`: Returns True if x is non-decreasing.

`is_numeric_tensor(...)`: Returns True if the elements of tensor are numbers.

`is_strictly_increasing(...)`: Returns True if x is strictly increasing.

`is_traceback_filtering_enabled(...)`: Check whether traceback filtering is currently enabled.

`set_log_device_placement(...)`: Turns logging for device placement decisions on or off.