

tf.compat.v1.feature_column.shared_embedding_columns

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/feature_column/shared_embedding_columns

*List of dense columns that convert from sparse, categorical input.
(deprecated)*

Function Signatures

```
tf.compat.v1.feature_column.shared_embedding_columns(  
    categorical_columns, dimension, combiner='mean',  
    initializer=None, shared_embedding_collection_name=None,  
    ckpt_to_load_from=None, tensor_name_in_ckpt=None,  
    max_norm=None, trainable=True, use_safe_embedding_lookup=True  
)
```

Code Examples

```
tf.compat.v1.feature_column.shared_embedding_columns(  
    categorical_columns,  
    dimension,  
    combiner='mean',  
    initializer=None,  
    shared_embedding_collection_name=None,  
    ckpt_to_load_from=None,  
    tensor_name_in_ckpt=None,  
    max_norm=None,  
    trainable=True,  
    use_safe_embedding_lookup=True  
)
```

```
tf.compat.v1.feature_column.shared_embedding_columns(  
    categorical_columns,  
    dimension,  
    combiner='mean',  
    initializer=None,  
    shared_embedding_collection_name=None,  
    ckpt_to_load_from=None,  
    tensor_name_in_ckpt=None,  
    max_norm=None,  
    trainable=True,  
    use_safe_embedding_lookup=True  
)
```

Documentation

List of dense columns that convert from sparse, categorical input. (deprecated)

This is similar to `embedding_column`, except that it produces a list of embedding columns that share the same embedding weights.

Use this when your inputs are sparse and of the same type (e.g. watched and impression video IDs that share the same vocabulary), and you want to convert them to a dense representation (e.g., to feed to a DNN).

Inputs must be a list of categorical columns created by any of the `categorical_column_*` function. They must all be of the same type and have the same arguments except `key`. E.g. they can be `categorical_column_with_vocabulary_file` with the same `vocabulary_file`. Some or all columns could also be `weighted_categorical_column`.

Returns

Raises