

tf.compat.v1.flags.DEFINE_multi_integer

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/flags/DEFINE_multi_integer

Registers a flag whose value can be a list of arbitrary integers.

Function Signatures

```
tf.compat.v1.flags.DEFINE_multi_integer( name, default, help,  
lower_bound=None, upper_bound=None,  
flag_values=_flagvalues.FLAGS, required=False, **args )
```

Code Examples

```
tf.compat.v1.flags.DEFINE_multi_integer(  
    name,  
    default,  
    help,  
    lower_bound=None,  
    upper_bound=None,  
    flag_values=_flagvalues.FLAGS,  
    required=False,  
    **args  
)
```

```
tf.compat.v1.flags.DEFINE_multi_integer(  
    name,  
    default,  
    help,  
    lower_bound=None,  
    upper_bound=None,  
    flag_values=_flagvalues.FLAGS,  
    required=False,  
    **args  
)
```

Documentation

Registers a flag whose value can be a list of arbitrary integers.

Use the flag on the command line multiple times to place multiple integer values into the list. The 'default' may be a single integer (which will be converted into a single-element list) or a list of integers.

Returns

