

tf.compat.v1.losses.hinge_loss Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/losses/hinge_loss

Adds a hinge loss to the training procedure.

Function Signatures

```
tf.compat.v1.losses.hinge_loss( labels, logits, weights=1.0,  
scope=None, loss_collection=ops.GraphKeys.LOSSES,  
reduction=Reduction.SUM_BY_NONZERO_WEIGHTS )
```

Code Examples

```
tf.compat.v1.losses.hinge_loss(  
    labels,  
    logits,  
    weights=1.0,  
    scope=None,  
    loss_collection=ops.GraphKeys.LOSSES,  
    reduction=Reduction.SUM_BY_NONZERO_WEIGHTS  
)
```

```
tf.compat.v1.losses.hinge_loss(  
    labels,  
    logits,  
    weights=1.0,  
    scope=None,  
    loss_collection=ops.GraphKeys.LOSSES,  
    reduction=Reduction.SUM_BY_NONZERO_WEIGHTS  
)
```

Documentation

Adds a hinge loss to the training procedure.

Returns

Raises

eager compatibility

The `loss_collection` argument is ignored when executing eagerly. Consider holding on to the return value or collecting losses via a `tf.keras.Model`.
