

tf.compat.v1.math.abs Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/abs

Computes the absolute value of a tensor.

Function Signatures

```
tf.compat.v1.math.abs( x, name=None )
```

Code Examples

```
tf.compat.v1.math.abs(  
x, name=None  
)
```

```
tf.compat.v1.math.abs(  
x, name=None  
)
```

```
# real number  
x = tf.constant([-2.25, 3.25])  
tf.abs(x)
```

```
# real number
```

```
x = tf.constant([-2.25, 3.25])
```

```
numpy=array([2.25, 3.25], dtype=float32)>
```

Documentation

Computes the absolute value of a tensor.

Given a tensor of integer or floating-point values, this operation returns a tensor of the same type, where each element contains the absolute value of the corresponding element in the input.

Given a tensor x of complex numbers, this operation returns a tensor of type `float32` or `float64` that is the absolute value of each element in x . For a complex number $(a + bj)$, its absolute value is computed as $\sqrt{a^2 + b^2}$.

For example:

Returns

If x is a `SparseTensor`, returns

`SparseTensor(x.indices, tf.math.abs(x.values, ...), x.dense_shape)`