

# tf.compat.v1.math.bessel\_i1 Stay organized with collections Save and categorize content based on your preferences.

[https://www.tensorflow.org/api\\_docs/python/tf/compat/v1/math/bessel\\_i1](https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/bessel_i1)

*Computes the Bessel i1 function of x element-wise.*

## Function Signatures

```
tf.compat.v1.math.bessel_i1( x, name=None )  
i1e(x)  
tf.math.special.bessel_i1([-1., -0.5, 0.5, 1.]).numpy()
```

## Code Examples

---

```
tf.compat.v1.math.bessel_i1(  
x, name=None  
)
```

```
tf.compat.v1.math.bessel_i1(  
x, name=None  
)
```

```
tf.math.special.bessel_i1([-1., -0.5, 0.5, 1.]).numpy()  
array([-0.5651591 , -0.25789431,  0.25789431,  0.5651591 ],  
dtype=float32)
```

```
tf.math.special.bessel_i1([-1., -0.5, 0.5, 1.]).numpy()
```

```
array([-0.5651591 , -0.25789431,  0.25789431,  0.5651591 ],  
dtype=float32)
```

# Documentation

---

Computes the Bessel  $i1$  function of  $x$  element-wise.

## View aliases

Compat aliases for migration

See

Migration guide for  
more details.

`tf.compat.v1.math.special.bessel_i1`

Modified Bessel function of order 1.

It is preferable to use the numerically stabler function  $i1e(x)$  instead.

## Returns

## scipy compatibility

Equivalent to `scipy.special.i1`