

tf.compat.v1.math.log Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/log

Computes natural logarithm of x element-wise.

Function Signatures

```
tf.compat.v1.math.log( x: Annotated[Any, tf.raw_ops.Any],  
name=None ) -> Annotated[Any, tf.raw_ops.Any]  
x = tf.constant([0, 0.5, 1, 5])  
tf.math.log(x)
```

Code Examples

```
tf.compat.v1.math.log(  
x: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.compat.v1.math.log(  
x: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
x = tf.constant([0, 0.5, 1, 5])  
tf.math.log(x)
```

```
x = tf.constant([0, 0.5, 1, 5])
```

```
tf.math.log(x)
```

Documentation

Computes natural logarithm of x element-wise.

Used in the notebooks

- Wiki40B Language Models

I.e., $y = \log_e x$.

Example:

See: <https://en.wikipedia.org/wiki/Logarithm>

Returns