

tf.compat.v1.math.special.dawsn Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/special/dawsn

Computes Dawson's integral of x element-wise.

Function Signatures

```
tf.compat.v1.math.special.dawsn( x, name=None )  
exp(-x**2)  
exp(t**2)
```

Code Examples

```
tf.compat.v1.math.special.dawsn(  
x, name=None  
)
```

```
tf.compat.v1.math.special.dawsn(  
x, name=None  
)
```

```
>>> tf.math.special.dawsn([-1., -0.5, 0.5, 1.]).numpy()  
array([-0.5380795, -0.4244364, 0.4244364,  0.5380795],  
      dtype=float32)
```

```
>>> tf.math.special.dawsn([-1., -0.5, 0.5, 1.]).numpy()  
array([-0.5380795, -0.4244364, 0.4244364,  0.5380795],  
      dtype=float32)
```

Documentation

Computes Dawson's integral of x element-wise.

Dawson's integral is defined as $\exp(-x^2)$ times the integral of $\exp(t^2)$ from 0 to x , with the domain of definition all real numbers.

Dawson's function is odd.

This implementation is based off of the Cephes math library.

Returns

scipy compatibility

Equivalent to `scipy.special.dawsn`