

tf.compat.v1.metrics.percentage_below

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/metrics/percentage_below

Computes the percentage of values less than the given threshold.

Function Signatures

```
tf.compat.v1.metrics.percentage_below( values, threshold,  
weights=None, metrics_collections=None,  
updates_collections=None, name=None )
```

Code Examples

```
tf.compat.v1.metrics.percentage_below(  
    values,  
    threshold,  
    weights=None,  
    metrics_collections=None,  
    updates_collections=None,  
    name=None  
)
```

```
tf.compat.v1.metrics.percentage_below(  
    values,  
    threshold,  
    weights=None,  
    metrics_collections=None,  
    updates_collections=None,  
    name=None  
)
```

Documentation

Computes the percentage of values less than the given threshold.

The `percentage_below` function creates two local variables, `total` and `count` that are used to compute the percentage of values that fall below threshold. This rate is weighted by `weights`, and it is ultimately returned as `percentage` which is an idempotent operation that simply divides `total` by `count`.

For estimation of the metric over a stream of data, the function creates an `update_op` operation that updates these variables and returns the `percentage`.

If `weights` is `None`, `weights` default to 1. Use `weights` of 0 to mask values.

Returns

Raises