

tf.ones_like Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/ones_like

Creates a tensor of all ones that has the same shape as the input.

Function Signatures

```
tf.ones_like( input, dtype=None, name=None, layout=None )
```

Code Examples

```
tf.ones_like(  
input, dtype=None, name=None, layout=None  
)
```

```
tf.ones_like(  
input, dtype=None, name=None, layout=None  
)
```

```
tensor = tf.constant([[1, 2, 3], [4, 5, 6]])  
tf.ones_like(tensor)
```

```
tensor = tf.constant([[1, 2, 3], [4, 5, 6]])
```

```
tf.ones_like(tensor)
```

```
array([[1, 1, 1],
```

```
[1, 1, 1]], dtype=int32)>
```

Documentation

Creates a tensor of all ones that has the same shape as the input.

Used in the notebooks

- Extension types
 - Validating correctness & numerical equivalence
 - CycleGAN
 - Deep Convolutional Generative Adversarial Network
 - pix2pix: Image-to-image translation with a conditional GAN
 - Multilevel Modeling Primer in TensorFlow Probability
 - Research tools

See also `tf.ones`.

Given a single tensor (`tensor`), this operation returns a tensor of the same type and shape as `tensor` with all elements set to 1. Optionally, you can use `dtype` to specify a new type for the returned tensor.

For example:

Note that the layout of the input tensor is not preserved if the `op` is used inside `tf.function`. To obtain a tensor with the same layout as the input, chain the returned value to a `dtensor.relayout_like`.

Returns

