

tf.range Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/range

Creates a sequence of numbers.

Function Signatures

```
tf.range(limit, delta=1, dtype=None, name='range')  
tf.range(start, limit, delta=1, dtype=None, name='range')
```

Code Examples

```
tf.range(limit, delta=1, dtype=None, name='range')  
tf.range(start, limit, delta=1, dtype=None, name='range')
```

```
tf.range(limit, delta=1, dtype=None, name='range')  
tf.range(start, limit, delta=1, dtype=None, name='range')
```

```
start = 3  
limit = 18  
delta = 3  
tf.range(start, limit, delta)
```

```
tf.range(start, limit, delta)
```

Documentation

Creates a sequence of numbers.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.range`

Used in the notebooks

- DTensor concepts
 - Better performance with `tf.function`
 - Training checkpoints
 - Estimators
 - Optimizers with Core APIs
 - Integrated gradients
 - DeepDream
 - Save and load a model using a distribution strategy

- Playing CartPole with the Actor-Critic method
- Distributed Input

Creates a sequence of numbers that begins at start and extends by increments of delta up to but not including limit.

The dtype of the resulting tensor is inferred from the inputs unless it is provided explicitly.

Like the Python builtin range, start defaults to 0, so that `range(n) = range(0, n)`.

For example:

`## Returns`

numpy compatibility

Equivalent to `np.arange`