

tf.sort Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/sort

Sorts a tensor.

Function Signatures

```
tf.sort( values, axis=-1, direction='ASCENDING', name=None )  
tf.sort(a).numpy()  
array([ 1. , 2.8 , 10. , 26.9 , 62.3 , 166.32],  
      dtype=float32)
```

Code Examples

```
tf.sort(  
values, axis=-1, direction='ASCENDING', name=None  
)
```

```
tf.sort(  
values, axis=-1, direction='ASCENDING', name=None  
)
```

```
a = [1, 10, 26.9, 2.8, 166.32, 62.3]  
tf.sort(a).numpy()  
array([ 1. ,  2.8 , 10. , 26.9 , 62.3 , 166.32],  
dtype=float32)
```

```
a = [1, 10, 26.9, 2.8, 166.32, 62.3]
```

```
tf.sort(a).numpy()
```

```
array([ 1. ,  2.8 , 10. , 26.9 , 62.3 , 166.32],  
dtype=float32)
```

```
tf.sort(a, direction='DESCENDING').numpy()  
array([166.32, 62.3 , 26.9 , 10. ,  2.8 ,  1. ],  
dtype=float32)
```

```
tf.sort(a, direction='DESCENDING').numpy()
```

Documentation

Sorts a tensor.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.sort`

Used in the notebooks

- TFP Release Notes notebook (0.11.0)

Usage:

For multidimensional inputs you can control which axis the sort is applied along. The default `axis=-1` sorts the innermost axis.

See also

- `tf.argsort`: Like `sort`, but it returns the sort indices.
 - `tf.math.top_k`: A partial sort that returns a fixed number of top values

and corresponding indices.

Returns

Raises

Generated on 10/25/2025 | TensorFlow Documentation Scraper