

tf.tuple Stay organized with collections

Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/tuple

Groups tensors together.

Function Signatures

```
tf.tuple( tensors, control_inputs=None, name=None )
```

Code Examples

```
tf.tuple(  
tensors, control_inputs=None, name=None  
)
```

```
tf.tuple(  
tensors, control_inputs=None, name=None  
)
```

```
with tf.Graph().as_default():
with tf.compat.v1.Session() as sess:
v = tf.Variable(0.0)
a = tf.constant(1.0)
sess.run(tf.compat.v1.global_variables_initializer())
for i in range(5):
update_op = v.assign_add(1.0)
b = a + v
res_b = sess.run(b)
res_v = sess.run(v)
print(res_v)
0.0
0.0
0.0
0.0
0.0
```

```
with tf.Graph().as_default():
```

```
with tf.compat.v1.Session() as sess:
```

```
v = tf.Variable(0.0)
```

```
a = tf.constant(1.0)
```

```
sess.run(tf.compat.v1.global_variables_initializer())
```

Documentation

Groups tensors together.

The returned tensors have the same value as the input tensors, but they are computed only after all the input tensors have been computed.

See also `tf.group` and `tf.control_dependencies`.

Example:

`## Returns`

`## Raises`