

Python Match

[< Previous](#)[Next >](#)

The **match** statement is used to perform different actions based on different conditions.

The Python Match Statement

Instead of writing **many if..else** statements, you can use the **match** statement.

The **match** statement selects one of many code blocks to be executed.

Syntax

[Get your own Python Server](#)

```
match expression:
    case x:
        code block
    case y:
        code block
    case z:
        code block
```

This is how it works:

- The **match** expression is evaluated once.
- The value of the expression is compared with the values of each **case**.
- If there is a match, the associated block of code is executed.

The example below uses the weekday number to print the weekday name:

Example

```
day = 4
match day:
    case 1:
        print("Monday")
    case 2:
        print("Tuesday")
    case 3:
        print("Wednesday")
    case 4:
        print("Thursday")
    case 5:
        print("Friday")
    case 6:
        print("Saturday")
    case 7:
        print("Sunday")
```

[Try it Yourself »](#)



COLOR
PICKER



REMOVE ADS

Use the underscore character `_` as the last case value if you want a code block to execute when there are not other matches:

```
day = 4
match day:
```



- Python Intro
- Python Get Started
- Python Syntax
- Python Comments
- Python Variables
- Python Data Types
- Python Numbers
- Python Casting
- Python Strings
- Python Booleans
- Python Operators
- Python Lists
- Python Tuples
- Python Sets
- Python Dictionaries
- Python If...Else
- Python Match
- Python While Loops
- Python For Loops
- Python Functions
- Python Decorators
- Python Range

```
case _:  
    print("Looking forward to the  
Weekend")
```

Try it Yourself »

The value `_` will always match, so it is important to place it as the *last* **case** to make it behave as a default **case**.

Use the pipe character `|` as an or operator in the `case` evaluation to check for more than one value match in one `case` :

day = 4

- Python Lambda
- Python Arrays
- Python OOP
- Python Classes/Objects
- Python Inheritance
- Python Iterators
- Python Polymorphism
- Python Scope
- Python Modules
- Python Dates
- Python Math

```
match day:
    case 1 | 2 | 3 | 4 | 5:
        print("Today is a weekday")
    case 6 | 7:
        print("I love weekends!")
```

[Try it Yourself »](#)

If Statements as Guards

You can add `if` statements in the case evaluation as an extra condition-check:

Example

```
month = 5
day = 4
match day:
    case 1 | 2 | 3 | 4 | 5 if month == 4:
        print("A weekday in April")
    case 1 | 2 | 3 | 4 | 5 if month == 5:
        print("A weekday in May")
    case _:
        print("No match")
```

[Try it Yourself »](#)

Exercise ?

Which character can be used as a default case value in a match statement?

☐ %

☐ *