



Tutorials ▾

References ▾

Exercises ▾

Certificates ▾

Search



Sign In

[HTML](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOT!](#) >[Python Lambda](#)[Python Arrays](#)[Python OOP](#)[Python Classes/Objects](#)[Python Inheritance](#)[Python Iterators](#)[Python Polymorphism](#)[Python Scope](#)[Python Modules](#)[Python Dates](#)[Python Math](#)[Python JSON](#)[Python RegEx](#)[Python PIP](#)[Python Try...Except](#)[Python String Formatting](#)[Python None](#)[Python User Input](#)[Python VirtualEnv](#)

File Handling

[Python File Handling](#)[Python Read Files](#)[Python Write/Create Files](#)[Python Delete Files](#)

Python Modules

[NumPy Tutorial](#)[Pandas Tutorial](#)[SciPy Tutorial](#)[Django Tutorial](#)

Python Matplotlib

[Matplotlib Tutorial](#)

Python None

[< Previous](#)[Next >](#)

Python None

None is a special constant in Python that represents the absence of a value.

Its data type is **NoneType**, and **None** is the only instance of a **NoneType** object.

NoneType

Variables can be assigned **None** to indicate "no value" or "not set".

Example

[Get your own Python Server](#)

Assign and display a **None** value:

```
x = None
print(x)
```

[Try it Yourself »](#)


Use **type()** to see the type of a **None** value.

Example

Assign and print the data type of a **None** value:

```
x = None
print(type(x))
```

ADVERTISEMENT

**COLOR
PICKER**

[Try it Yourself »](#)

AD

Comparing to None

To compare a value to **None**, use the identity operator **is** or **is not**

Example

Use the identity operator **is** for comparisons with **None** :

```
result = None
if result is None:
    print("No result yet")
else:
    print("Result is ready")
```

[Try it Yourself »](#)

Example

Similar example, but using **is not** instead:

```
result = None
if result is not None:
    print("Result is ready")
else:
    print("No result yet")
```

[Try it Yourself »](#)

R

True or False

None evaluates to **False** in a boolean context.

Example

Check truthiness:

```
print(bool(None))
```

[Try it Yourself »](#)

Functions returning None

Functions that do not explicitly return a value return **None** by default.

Example

A function without a return statement returns **None** :

```
def myfunc():  
    x = 5  
  
x = myfunc()  
print(x)
```

[Try it Yourself »](#)

Exercise ?

What is the data type of the value None?

- ☐ None
- ☐ NoneType
- ☐ NullType

[Submit Answer »](#)

[◀ Previous](#)[Sign in to track progress](#)[Next >](#)

ADVERTISEMENT