

tf.autograph.experimental.Feature Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/autograph/experimental/Feature

This enumeration represents optional conversion options.

Function Signatures

```
optionals=  
tf.autograph.experimental.Feature.EQUALITY_OPERATORS  
@tf.function(experimental_autograph_options=optionals) def  
f(i): if i == 0: # EQUALITY_OPERATORS allows the use of ==  
here. tf.print('i is zero')
```

Code Examples

```
optionals= tf.autograph.experimental.Feature.EQUALITY_OPERATORS
@tf.function(experimental_autograph_options=optionals)
def f(i):
    if i == 0: # EQUALITY_OPERATORS allows the use of == here.
        tf.print('i is zero')
```

```
optionals= tf.autograph.experimental.Feature.EQUALITY_OPERATORS
@tf.function(experimental_autograph_options=optionals)
def f(i):
    if i == 0: # EQUALITY_OPERATORS allows the use of == here.
        tf.print('i is zero')
```

Documentation

This enumeration represents optional conversion options.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.autograph.experimental.Feature`

These conversion options are experimental. They are subject to change without notice and offer no guarantees.

Example Usage

Attributes

`## Class Variables`