

tf.compat.dimension_at_index Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/dimension_at_index

Compatibility utility required to allow for both V1 and V2 behavior in TF.

Function Signatures

```
tf.compat.dimension_at_index( shape, index ) -> 'Dimension'
```

Code Examples

```
tf.compat.dimension_at_index(  
    shape, index  
) -> 'Dimension'
```

```
tf.compat.dimension_at_index(  
    shape, index  
) -> 'Dimension'
```

```
# If you had this in your V1 code:
dim = tensor_shape[i]
# Use `dimension_at_index` as direct replacement compatible with
both V1 & V2:
dim = dimension_at_index(tensor_shape, i)
# Another possibility would be this, but WARNING: it only works if
the
# tensor_shape instance has a defined rank.
dim = tensor_shape.dims[i] # `dims` may be None if the rank is
undefined!
# In native V2 code, we recommend instead being more explicit:
if tensor_shape.rank is None:
dim = Dimension(None)
else:
dim = tensor_shape.dims[i]
# Being more explicit will save you from the following trap
(present in V1):
# you might do in-place modifications to `dim` and expect them to
be reflected
# in `tensor_shape[i]`, but they would not be (as the Dimension
object was
# instantiated on the fly.
```

```
# If you had this in your V1 code:
dim = tensor_shape[i]
# Use `dimension_at_index` as direct replacement compatible with
both V1 & V2:
dim = dimension_at_index(tensor_shape, i)
# Another possibility would be this, but WARNING: it only works if
the
# tensor_shape instance has a defined rank.
dim = tensor_shape.dims[i] # `dims` may be None if the rank is
undefined!
# In native V2 code, we recommend instead being more explicit:
if tensor_shape.rank is None:
dim = Dimension(None)
else:
dim = tensor_shape.dims[i]
# Being more explicit will save you from the following trap
(present in V1):
# you might do in-place modifications to `dim` and expect them to
be reflected
# in `tensor_shape[i]`, but they would not be (as the Dimension
object was
# instantiated on the fly.
```

Documentation

Compatibility utility required to allow for both V1 and V2 behavior in TF.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.compat.dimension_at_index`, `tf.compat.v1.dimension_at_index`

Until the release of TF 2.0, we need the legacy behavior of `TensorShape` to coexist with the new behavior. This utility is a bridge between the two.

If you want to retrieve the `Dimension` instance corresponding to a certain index in a `TensorShape` instance, use this utility, like this:

Returns