

# tf.compat.dimension\_value Stay organized with collections Save and categorize content based on your preferences.

[https://www.tensorflow.org/api\\_docs/python/tf/compat/dimension\\_value](https://www.tensorflow.org/api_docs/python/tf/compat/dimension_value)

*Compatibility utility required to allow for both V1 and V2 behavior in TF.*

## Function Signatures

```
tf.compat.dimension_value( dimension: Union['Dimension', int,
None] ) -> Union[int, None]

# If you had this in your V1 code: value =
tensor_shape[i].value # Use `dimension_value` as direct
replacement compatible with both V1 & V2: value =
dimension_value(tensor_shape[i]) # This would be the V2
equivalent: value = tensor_shape[i] # Warning: this will
return the dim value in V2!
```

## Code Examples

---

```
tf.compat.dimension_value(  
dimension: Union['Dimension', int, None]  
) -> Union[int, None]
```

```
tf.compat.dimension_value(  
dimension: Union['Dimension', int, None]  
) -> Union[int, None]
```

```
# If you had this in your V1 code:  
value = tensor_shape[i].value  
# Use `dimension_value` as direct replacement compatible with both  
V1 & V2:  
value = dimension_value(tensor_shape[i])  
# This would be the V2 equivalent:  
value = tensor_shape[i] # Warning: this will return the dim value  
in V2!
```

```
# If you had this in your V1 code:  
value = tensor_shape[i].value  
# Use `dimension_value` as direct replacement compatible with both  
V1 & V2:  
value = dimension_value(tensor_shape[i])  
# This would be the V2 equivalent:  
value = tensor_shape[i] # Warning: this will return the dim value  
in V2!
```

# Documentation

---

Compatibility utility required to allow for both V1 and V2 behavior in TF.

## View aliases

Compat aliases for migration

See

Migration guide for  
more details.

`tf.compat.v1.compat.dimension_value`, `tf.compat.v1.dimension_value`

## Used in the notebooks

- Learnable Distributions Zoo

Until the release of TF 2.0, we need the legacy behavior of `TensorShape` to coexist with the new behavior. This utility is a bridge between the two.

When accessing the value of a `TensorShape` dimension,  
use this utility, like this:

**## Returns**