

tf.compat.v1.data.experimental.choose_from_datasets

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/data/experimental/choose_from_datasets

*Creates a dataset that deterministically chooses elements from datasets.
(deprecated)*

Function Signatures

```
tf.compat.v1.data.experimental.choose_from_datasets(  
    datasets, choice_dataset, stop_on_empty_dataset=False )  
tf.data.Dataset.choose_from_datasets(...)  
  
datasets = [tf.data.Dataset.from_tensors("foo").repeat(),  
            tf.data.Dataset.from_tensors("bar").repeat(),  
            tf.data.Dataset.from_tensors("baz").repeat()] # Define a  
dataset containing `[0, 1, 2, 0, 1, 2, 0, 1, 2]`.  
choice_dataset = tf.data.Dataset.range(3).repeat(3) result =  
tf.data.experimental.choose_from_datasets(datasets,  
choice_dataset)
```

Code Examples

```
tf.compat.v1.data.experimental.choose_from_datasets(  
    datasets, choice_dataset, stop_on_empty_dataset=False  
)
```

```
tf.compat.v1.data.experimental.choose_from_datasets(  
    datasets, choice_dataset, stop_on_empty_dataset=False  
)
```

```
datasets = [tf.data.Dataset.from_tensors("foo").repeat(),  
            tf.data.Dataset.from_tensors("bar").repeat(),  
            tf.data.Dataset.from_tensors("baz").repeat()]  
# Define a dataset containing `[0, 1, 2, 0, 1, 2, 0, 1, 2]`.  
choice_dataset = tf.data.Dataset.range(3).repeat(3)  
result = tf.data.experimental.choose_from_datasets(datasets,  
            choice_dataset)
```

```
datasets = [tf.data.Dataset.from_tensors("foo").repeat(),  
            tf.data.Dataset.from_tensors("bar").repeat(),  
            tf.data.Dataset.from_tensors("baz").repeat()]  
# Define a dataset containing `[0, 1, 2, 0, 1, 2, 0, 1, 2]`.  
choice_dataset = tf.data.Dataset.range(3).repeat(3)  
result = tf.data.experimental.choose_from_datasets(datasets,  
            choice_dataset)
```

```
"foo", "bar", "baz", "foo", "bar", "baz", "foo", "bar", "baz"
```

```
"foo", "bar", "baz", "foo", "bar", "baz", "foo", "bar", "baz"
```

Documentation

Creates a dataset that deterministically chooses elements from datasets.
(deprecated)

For example, given the following datasets:

The elements of result will be:

Returns

Raises