

tf.compat.v1.data.experimental.sample_from_datasets

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/data/experimental/sample_from_datasets

Samples elements at random from the datasets in datasets. (deprecated)

Function Signatures

```
tf.compat.v1.data.experimental.sample_from_datasets(  
    datasets, weights=None, seed=None,  
    stop_on_empty_dataset=False )  
tf.data.Dataset.sample_from_datasets(...)
```

Code Examples

```
tf.compat.v1.data.experimental.sample_from_datasets(  
    datasets, weights=None, seed=None, stop_on_empty_dataset=False  
)
```

```
tf.compat.v1.data.experimental.sample_from_datasets(  
    datasets, weights=None, seed=None, stop_on_empty_dataset=False  
)
```

```
dataset1 = tf.data.Dataset.range(0, 3)  
dataset2 = tf.data.Dataset.range(100, 103)
```

```
dataset1 = tf.data.Dataset.range(0, 3)  
dataset2 = tf.data.Dataset.range(100, 103)
```

```
sample_dataset = tf.data.Dataset.sample_from_datasets(  
    [dataset1, dataset2], weights=[0.5, 0.5])
```

```
sample_dataset = tf.data.Dataset.sample_from_datasets(  
    [dataset1, dataset2], weights=[0.5, 0.5])
```

```
print(list(sample_dataset.as_numpy_iterator()))  
# [100, 0, 1, 101, 2, 102]
```

```
print(list(sample_dataset.as_numpy_iterator()))  
# [100, 0, 1, 101, 2, 102]
```

Documentation

Samples elements at random from the datasets in datasets. (deprecated)

Creates a dataset by interleaving elements of datasets with weight[i] probability of picking an element from dataset i. Sampling is done without replacement. For example, suppose we have 2 datasets:

Suppose also that we sample from these 2 datasets with the following weights:

One possible outcome of elements in sample_dataset is:

Returns

Raises

- If datasets is empty, or
- If weights is specified and does not match the length of datasets.