

tf.compat.v1.debugging.check_numerics

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/debugging/check_numerics

Checks a tensor for NaN and Inf values.

Function Signatures

```
tf.compat.v1.debugging.check_numerics( tensor: Annotated[Any,
TV_CheckNumerics_T], message: str, name=None ) ->
Annotated[Any, TV_CheckNumerics_T]

a = tf.Variable(1.0) tf.debugging.check_numerics(a,
message='') b = tf.Variable(np.nan) try:
tf.debugging.check_numerics(b, message='Checking b') except
Exception as e: assert "Checking b : Tensor had NaN values"
in e.message c = tf.Variable(np.inf) try:
tf.debugging.check_numerics(c, message='Checking c') except
Exception as e: assert "Checking c : Tensor had Inf values"
in e.message
```

Code Examples

```
tf.compat.v1.debugging.check_numerics(  
    tensor: Annotated[Any, TV_CheckNumerics_T], message: str, name=None  
) -> Annotated[Any, TV_CheckNumerics_T]
```

```
tf.compat.v1.debugging.check_numerics(  
    tensor: Annotated[Any, TV_CheckNumerics_T], message: str, name=None  
) -> Annotated[Any, TV_CheckNumerics_T]
```

```
a = tf.Variable(1.0)  
tf.debugging.check_numerics(a, message='')  
b = tf.Variable(np.nan)  
try:  
    tf.debugging.check_numerics(b, message='Checking b')  
except Exception as e:  
    assert "Checking b : Tensor had NaN values" in e.message  
c = tf.Variable(np.inf)  
try:  
    tf.debugging.check_numerics(c, message='Checking c')  
except Exception as e:  
    assert "Checking c : Tensor had Inf values" in e.message
```

```
a = tf.Variable(1.0)  
tf.debugging.check_numerics(a, message='')  
b = tf.Variable(np.nan)  
try:  
    tf.debugging.check_numerics(b, message='Checking b')  
except Exception as e:  
    assert "Checking b : Tensor had NaN values" in e.message  
c = tf.Variable(np.inf)  
try:  
    tf.debugging.check_numerics(c, message='Checking c')  
except Exception as e:  
    assert "Checking c : Tensor had Inf values" in e.message
```

Documentation

Checks a tensor for NaN and Inf values.

When run, reports an `InvalidArgument` error if tensor has any values that are not a number (NaN) or infinity (Inf). Otherwise, returns the input tensor.

Example usage:

`## Returns`